

REFERENCES

- Aboushelib MN, Salameh Z (2009). Zirconia implant abutment fracture: clinical case reports and precautions for use. *Int J Prosthodont* 22:616-619.
- Almazdi AA, Khajah HM, Monaco EA Jr, Kim H (2012). Applying microwave technology to sintering dental zirconia. *J Prosthodont* 108:304-309.
- Benetti P, Kelly JR, Sanchez M, Della Bona A (2014). Influence of thermal gradients on stress state of veneered restorations. *Dent Mater* 30:554-563.
- Champion E (2013). Sintering of calcium phosphate bioceramics. *Acta Biomater* 9:5855-5875.
- Chevalier J (2006). What future for zirconia as a biomaterial? *Biomaterials* 27:535-543.
- Chevalier J, Calès B, Drouin JM (1999). Low-temperature aging of Y-TZP ceramics. *J Am Ceram Soc* 82:2150-2154.
- Chevalier J, Deville S, Münch E, Jullian R, Lair F (2004). Critical effect of cubic phase on aging in 3mol% yttria-stabilized zirconia ceramics for hip replacement prosthesis. *Biomaterials* 25:5539-5545.
- Chevalier J, Grémillard L, Virkar AV, Clarke DR (2009). The tetragonal-monoclinic transformation in zirconia: lessons learned and future trends. *J Am Ceram Soc* 92:1901-1920.
- Clarke IC, Manaka M, Green DD, Williams P, Pezzotti G, Kim YH, et al. (2003). Current status of zirconia used in total hip implants. *J Bone Joint Surg Am* 85-A(Suppl 4):73-84.
- Coldea A, Swain MV, Thiel N (2013a). In-vitro strength degradation of dental ceramics and novel PICN material by sharp indentation. *J Mech Behav Biomed Mater* 26:34-42.
- Coldea A, Swain MV, Thiel N (2013b). Mechanical properties of polymer-infiltrated-ceramic-network materials. *Dent Mater* 29:419-426.
- Conoci S, Melandri C, De Portu G (1999). Wear of 3Y-TZP containing compressive residual stresses at the surface. *J Mater Sci* 34:1009-1015.
- Della Bona A, Kelly JR (2008). The clinical success of all-ceramic restorations. *J Am Dent Assoc* 139(Suppl):8S-13S.
- Della Bona A, Corazza PH, Zhang Y (2014). Characterization of a polymer-infiltrated ceramic-network material. *Dent Mater* 30:564-569.
- Denry I (2013). How and when does fabrication damage adversely affect the clinical performance of ceramic restorations? *Dent Mater* 29:85-96.
- Denry I, Kelly JR (2008). State of the art of zirconia for dental applications. *Dent Mater* 24:299-307.
- Denry IL, Peacock JJ, Holloway JA (2010). Effect of heat treatment after accelerated aging on phase transformation in 3Y-TZP. *J Biomed Mater Res B Appl Biomater* 93:236-243.
- Deville S, Chevalier J, Grémillard L (2006). Influence of surface finish and residual stresses on the ageing sensitivity of biomedical grade zirconia. *Biomaterials* 27:2186-2192.
- Ebert J, Ozkol E, Zeichner A, Uibel K, Weiss O, Koops U, et al. (2009). Direct inkjet printing of dental prostheses made of zirconia. *J Dent Res* 88:673-676.
- Etman MK (2009). Confocal examination of subsurface cracking in ceramic materials. *J Prosthodont* 18:550-559.

- Figueiredo-Pina CG, Monteiro A, Guedes M, Mauricio A, Serro AP, Ramalho A, *et al.* (2013). Effect of feldspar porcelain coating upon the wear behavior of zirconia dental crowns. *Wear* 297:872-877.
- Filser F, Kocher P, Gauckler LJ (2003). Net-shaping of ceramic components by direct ceramic machining. *Assembly Autom* 23:382-390.
- Gahr KH, Bundschuh W, Zimmerlin B (1993). Effect of grain size on friction and sliding wear of oxide ceramics. *Wear* 162-164A:269-279.
- Garvie RC, Nicholson PS (1972). Phase analysis in zirconia systems. *J Am Ceram Soc* 55:303-305.
- Garvie RC, Hannink RH, Pascoe RT (1975). Ceramic steel? *Nature* 258:703-704.
- Goodridge RD, Dalgarno KW, Wood DJ (2006). Indirect selective laser sintering of an apatite-mullite glass-ceramic for potential use in bone replacement applications. *Proc Inst Mech Eng H* 220:57-68.
- Grossin D, Rollin-Martinet S, Estourmes C, Rossignol F, Champion E, Combes C, *et al.* (2010). Biomimetic apatite sintered at very low temperature by spark plasma sintering: physico-chemistry and microstructure aspects. *Acta Biomater* 6:577-585.
- Guazzato M, Albakry M, Ringer SP, Swain MV (2004). Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part I. Pressable and alumina glass-infiltrated ceramics. *Dent Mater* 20:441-448.
- Hasegawa H (1983). Rhombohedral phase produces in abraded surfaces of partially stabilized zirconia (PSZ). *J Mater Sci Lett* 2:91-93.
- Hasegawa H, Hioki T, Kamigaito O (1985). Cubic-to-rhombohedral phase-transformation in zirconia by ion-implantation. *J Mater Sci Lett* 4:1092-1094.
- He LH, Swain M (2011). A novel polymer infiltrated ceramic dental material. *Dent Mater* 27:527-534.
- Janyavula S, Lawson N, Cakir D, Beck P, Ramp LC, Burgess JO (2013). The wear of polished and glazed zirconia against enamel. *J Prosthet Dent* 109:22-29.
- Kao HC, Ho FY, Yang CC, Wei WJ (2000). Surface machining of fine-grain Y-TZP. *J Eur Ceram Soc* 20:2447-2455.
- Katz JD (1992). Microwave sintering of ceramics. *Ann Rev Mater Sci* 22:153-170.
- Kelly JR, Denry I (2008). Stabilized zirconia as a structural material. *Dent Mater* 24:289-298.
- Kelly JR, Rungruanant P, Hunter B, Vailati F (2010). Development of a clinically validated bulk failure test for ceramic crowns. *J Prosthet Dent* 104:228-238.
- Keuper M, Eder K, Berthold C, Nickel KG (2013). Direct evidence for continuous linear kinetics in the low-temperature degradation of Y-TZP. *Acta Biomater* 9:4826-4835.
- Kim DY, Han YH, Lee JH, Kang IK, Jang BK, Kim S (2014). Characterization of multiwalled carbon nanotube-reinforced hydroxyapatite composites consolidated by spark plasma sintering. *Biomed Res Int* 2014:768254.
- Kim MJ, Ahn JS, Kim JH, Kim HY, Kim WC (2013). Effects of the sintering conditions of dental zirconia ceramics on the grain size and translucency. *J Adv Prosthodont* 5:161-166.
- Kitano Y, Mori Y, Ishitani A, Masaki T (1988). Rhombohedral phase in Y₂O₃-partially-stabilized ZrO₂. *J Am Ceram Soc* 71:C34-C36.
- Kondoh J (2004). Origin of the hump on the left shoulder of the x-ray diffraction peaks observed in Y₂O₃-fully and partially stabilized ZrO₂. *J Alloy Compd* 375:270-282.
- Kontos L, Schille C, Schweizer E, Geis-Gerstörfer J (2013). Influence of surface treatment on the wear of solid zirconia. *Acta Odontol Scand* 71:482-487.
- Kruger S, Deubener J, Ritzberger C, Holand W (2013). Nucleation kinetics of lithium metasilicate in ZrO₂-bearing lithium disilicate glasses for dental application. *Int J Appl Glass Sci* 4:9-19.
- Lewis JA (2000). Colloidal processing of ceramics. *J Am Ceram Soc* 83:2341-2359.
- López-Esteban S, Bartolomé JF, Díaz LA, Esteban-Tejeda L, Prado C, López-Piriz R, *et al.* (2014). Mechanical performance of a biocompatible biocide soda-lime glass-ceramic. *J Mech Behav Biomed Mater* 34:302-312.
- Marinis A, Aquilino SA, Lund PS, Gratton DG, Stanford CM, Diaz-Arnold AM, *et al.* (2013). Fracture toughness of yttria-stabilized zirconia sintered in conventional and microwave ovens. *J Prosthet Dent* 109:165-171.
- Matsui K, Horikoshi H, Ohmichi N, Ohgai M, Yoshida H, Ikuhara Y (2003). Cubic-formation and grain-growth mechanisms in tetragonal zirconia polycrystal. *J Am Ceram Soc* 86:1401-1408.
- Menezes RR, Souto PM, Kiminami RH (2007). Microwave hybrid fast sintering of porcelain bodies. *J Mater Process Tech* 190:223-229.
- Miranda P, Saiz E, Gryn K, Tomsia AP (2006). Sintering and robocasting of beta-tricalcium phosphate scaffolds for orthopaedic applications. *Acta Biomater* 2:457-466.
- Mitov G, Heintze SD, Walz S, Woll K, Muecklich F, Pospiech P (2012). Wear behavior of dental Y-TZP ceramic against natural enamel after different finishing procedures. *Dent Mater* 28:909-918.
- Nathanson D, Chu S, Yamamoto H, Stappert CF (2010). Performance of zirconia based crowns and FPDs in prosthodontic practice. *J Dent Res* 89(Spec Iss B):Abstract #2115 (<https://iadr.confex.com/iadr/2010barce/webprogram/Paper140795.html>).
- Oghbaei M, Mirzaee O (2010). Microwave versus conventional sintering: a review of fundamentals, advantages and applications. *J Alloys Comp* 494:175-189.
- Oh GJ, Lee K, Lee DJ, Lim HP, Yun KD, Ban JS, *et al.* (2012). Effect of metal chloride solutions on coloration and biaxial flexural strength of yttria-stabilized zirconia. *Met Mater Int* 18:805-812.
- Porwal H, Grasso S, Cordero-Arias L, Li C, Boccaccini A, Reece M (2014). Processing and bioactivity of 45S5 Bioglass®-graphene nanoplatelets composites. *J Mater Sci: Mater Med* 25:1403-1413.
- Sailer I, Feher A, Filser F, Lüthy H, Gauckler LJ, Scharer P, *et al.* (2006). Prospective clinical study of zirconia posterior fixed partial dentures: 3-year follow-up. *Quintessence Int* 37:685-693.
- Sailer I, Feher A, Filser F, Gauckler LJ, Lüthy H, Hämmerle CH (2007). Five-year clinical results of zirconia frameworks for posterior fixed partial dentures. *Int J Prosthodont* 20:383-388.
- Sailer I, Philipp A, Zembic A, Pjetursson BE, Hämmerle CH, Zwahlen M (2009). A systematic review of the performance of ceramic and metal implant abutments supporting fixed implant reconstructions. *Clin Oral Implants Res* 20(Suppl 4):4-31.
- Shah K, Holloway JA, Denry IL (2008). Effect of coloring with various metal oxides on the microstructure, color, and flexural strength of 3Y-TZP. *J Biomed Mater Res B Appl Biomater* 87:329-337.
- Shen Z, Nygren M (2005). Microstructural prototyping of ceramics by kinetic engineering: applications of spark plasma sintering. *Chem Rec* 5:173-184.
- Silva NR, Witek L, Coelho PG, Thompson VP, Rekow ED, Smay J (2011). Additive CAD/CAM process for dental prostheses. *J Prosthodont* 20:93-96.
- Smay JE, Cesarano J, Lewis JA (2002). Colloidal inks for directed assembly of 3-D periodic structures. *Langmuir* 18:5429-5437.
- Stawarczyk B, Özcan M, Schmutz F, Trottmann A, Roos M, Hämmerle CH (2013). Two-body wear of monolithic, veneered and glazed zirconia and their corresponding enamel antagonists. *Acta Odontol Scand* 71:102-112.
- Stoto T, Nauer M, Carry C (1991). Influence of residual impurities on phase partitioning and grain-growth processes of Y-TZP materials. *J Am Ceram Soc* 74:2615-2621.
- Subbarao EC (1981). Zirconia – an overview. In: *Science and technology of zirconia*. Heuer AH, Hobbs LW, editors. Columbus, OH: The American Ceramic Society, pp 1-24.
- Suttor D, Hauptmann H, Schnagl R, Frank S, inventors (2004). 3M Espe AG assignee. Coloring ceramics by way of ionic or complex-containing solutions. United States Patent #6,709,694.
- Swain MV (2014). Impact of oral fluids on dental ceramics: What is the clinical relevance? *Dent Mater* 30:33-42.
- Taylor TD, Klotz MW, Lawton RA (2014). Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. *Int J Oral Maxillofac Implants* 29:958-960.
- Tsitrou EA, Northeast SE, van Noort R (2007). Brittleness index of machinable dental materials and its relation to the marginal chipping factor. *J Dent* 35:897-902.
- Virkar AV, Matsumoto RL (1986). Ferroelastic domain switching as a toughening mechanism in tetragonal zirconia. *J Am Ceram Soc* 69:C224-C226.
- Wegner LD, Gibson LJ (2001). The fracture toughness behaviour of interpenetrating phase composites. *Int J Mech Sci* 43:1771-1791.