

REFERENCES

References to studies included in this review

Basha 2010 {published data only (unpublished sought but not used)}

Basha AG, Shantaraj R, Moge Gowda SB. Comparative study between conventional en-masse retraction (sliding mechanics) and en-masse retraction using orthodontic micro implant. *Implant Dentistry* 2010;**19**(2):128–36.

Bechtold 2013 {published data only}

Bechtold TE, Kim JW, Choi TH, Park YC, Lee KJ. Distalization pattern of the maxillary arch depending on the number of orthodontic miniscrews. *The Angle Orthodontist* 2013;**83**(2):266–73.

Borsos 2008 {published data only}

Borsos G, Rudzki-Janson I, Stockmann P, Schlegel KA, Végh A. Immediate loading of palatal implants in still-growing patients: a prospective, comparative, clinical pilot study. *Journal of Orofacial Orthopedics* 2008;**69**(4):297–308.

Borsos 2012 {published data only}

Borsos G, Jianu R, Vegh A. Comparison of bone-borne and tooth tissue-borne anchorage during the maxillary canine retraction in growing patients. *TMJ* 2011;**61**(1-2):98–101.
* Borsos G, Voko Z, Gredes T, Kunert-Keil C, Vegh A. Tooth movement using palatal implant supported anchorage compared to conventional dental anchorage. *Annals of Anatomy* 2012;**194**(6):556–60.

Chesterfield 2007 {published and unpublished data}

* Benson P, Tinsley D, O'Dwyer J, Majumder A, Doyle P, Sandler P. Mid-palatal implants versus headgear for orthodontic anchorage - A randomised clinical trial: cephalometric results. *American Journal of Orthodontics and Dentofacial Orthopedics* 2007;**132**(5):606–15.
Sandler J, Benson P, Doyle P, Majumder A, O'Dwyer J, Speight P, et al. Palatal implants are a good alternative to headgear: a randomized trial. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008;**133**(1):51–7.

Feldmann 2007 {published data only}

Feldmann I. Evidence-based evaluation of anchorage capacity and patients' perception. *Swedish Dental Journal* 2007;**Suppl 191**:1–132.

* Feldmann I, Bondemark L. Anchorage capacity of osseointegrated and conventional anchorage systems: A randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008;**133**(3):339.e19–339.e28.

Feldmann I, List T, Bondemark L. Orthodontic anchoring techniques and its influence on pain, discomfort, and jaw function—a randomized controlled trial. *European Journal of Orthodontics* 2012;**34**(1):102–8.

Feldmann I, List T, Feldmann H, Bondemark L. Pain intensity and discomfort following surgical placement of orthodontic anchoring units and premolar extraction. *The Angle Orthodontist* 2007;**77**(4):578–85.

Jackson 2008 {published data only}

Jackson A, Lemke R, Hatch J, Salome N, Gakunga P, Cachran D. A comparison of stability between delayed versus immediately loaded orthodontic palatal implants. *Journal of Esthetic and Restorative Dentistry* 2008;**20**(3):174–85.

Lehnen 2011 {published data only}

Lehnen S, McDonald F, Bourauel C, Baxmann M. Patient expectations, acceptance and preferences in treatment with orthodontic mini-implants. A randomly controlled study. Part I: insertion techniques. *Journal of Orofacial Orthopedics* 2011;**72**(2):93–102.

Liu 2009 {published data only}

Liu YH, Ding WH, Liu J, Li Q. Comparison of the differences in cephalometric parameters after active orthodontic treatment applying mini-screw implants or transpalatal arches in adult patients with bialveolar dental protrusion. *Journal of Oral Rehabilitation* 2009 Sep;**36**(9):687–95.

Ma 2008 {published data only (unpublished sought but not used)}

Ma J, Wang L, Zhang W, Chen W, Zhao C, Smales RJ. Comparative evaluation of micro-implant and headgear anchorage used with a pre-adjusted appliance system. *European Journal of Orthodontics* 2008;**30**(3):283–7.

Maddalone 2010 {published data only}

Maddalone M, Ferrari M, Stanizzi A, Barrilla S, Arrigoni P. Use of miniscrew implants in orthodontic distal movement [Utilizzo delle miniviti nelle meccaniche ortodontiche di distalizzazione]. *Dental Cadmos* 2010;**78**(8):97–105.

Sharma 2012 {published data only}

Sharma M, Sharma V, Khanna B. Mini-screw implant or transpalatal arch-mediated anchorage reinforcement during canine retraction: a randomized clinical trial. *Journal of Orthodontics* 2012;**39**(2):102–10.

Shi 2008 {published data only}

Shi Y-T, Ping Y, Shan L-H, Song J-S, Qiu Z-X. Stability of mini-implant during orthodontic treatment as anchorage. *Zhongguo Zuzhi Gongcheng Yanjiu Yu Linchuang Kang Fu (Journal of Clinical Rehabilitative Tissue Engineering Research)* 2008;**12**(26):5109–12.

Turkoz 2011 {published data only}

Turkoz C, Atac MS, Tuncer C, Balos Tuncer B, Kaan E. The effect of drill-free and drilling methods on the stability of mini-implants under early orthodontic loading in adolescent patients. *European Journal of Orthodontics* 2011;**33**(5):533–6.

Upadhyay 2008 {published and unpublished data}

Upadhyay M, Yadav S, Nagaraj K, Patil S. Treatment effects of mini-implants for en-masse retraction of anterior teeth in bialveolar dental protrusion patients: A randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008;**134**(1):18–29.

References to studies excluded from this review

Altug-Atac 2008 {published data only}

Altug-Atac AT, Erdem D, Arat ZM. Three-dimensional bimetric maxillary distalization arches compared with a modified Begg intraoral distalization system. *European Journal of Orthodontics* 2008; Vol. 30, issue 1:73–9.

Baxmann 2010 {published data only}

Baxmann M, McDonald F, Bourauel C, Jager A. Expectations, acceptance, and preferences regarding microimplant treatment in orthodontic patients: A randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics* 2010;**138**(3): 250.e1-250.e10; discussion 250-1.

Bondemark 2005 {published data only}

Bondemark L, Karlsson I. Extraoral vs intraoral appliance for distal movement of maxillary first molars: a randomized controlled trial. *The Angle Orthodontist* 2005;**75**(5): 699–706.

Chen 2008 {published data only}

Chen WJ, Li QY, Gong AX, Hu F, Gu YJ. Comparison between J-hook and micro-implant anchorage in the

treatment of patients with bimaxillary protrusion. *Zhonghua Kouqiang Yixue Zazhi (Chinese Journal of Stomatology)* 2008; **43**(2):83–6.

Cheng 2004 {published data only}

Cheng SJ, Tseng IY, Lee JJ, Kok SH. A prospective study of the risk factors associated with failure of mini-implants used for orthodontic anchorage. *The International Journal of Oral and Maxillofacial Implants* 2004;**19**(1):100–6.

Deguchi 2008 {published data only}

Deguchi T, Murakami T, Kuroda S, Yabuuchi T, Kamioka H, Takano-Yamamoto T. Comparison of the intrusion effects on the maxillary incisors between implant anchorage and J-hook headgear. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008;**133**(5):654–60.

Garfinkle 2008 {published and unpublished data}

Garfinkle J, Cunningham Jr L, Beeman C, Kluemper G, Hicks E, Kim M. Evaluation of orthodontic mini-implant anchorage in premolar extraction therapy in adolescents. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008;**133**(5):642–53.

Gelgor 2007 {published and unpublished data}

Gelgor IE, Karaman AI, Buyukyilmaz T. Comparison of 2 distalization systems supported by intraosseous screws. *American Journal of Orthodontics and Dentofacial Orthopedics* 2007; Vol. 131, issue 2:161.e1–8.

Gollner 2009 {published data only}

Gollner P, Jung BA, Kunkel M, Liechti T, Wehrbein H. Immediate vs. conventional loading of palatal implants in humans. *Clinical Oral Implants Research* 2009;**20**(8):833–7.

Kadioglu 2008 {published data only}

Kadioglu O, Buyukyilmaz T, Zachrisson BU, Maino BG. Contact damage to root surfaces of premolars touching miniscrews during orthodontic treatment. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008; Vol. 134, issue 3:353–60.

Lee 2011 {published and unpublished data}

Lee KJ, Park YC, Hwang CJ, Kim YJ, Choi TH, Yoo HM, et al. Displacement pattern of the maxillary arch depending on mini-screw position in sliding mechanics. *American Journal of Orthodontics and Dentofacial Orthopedics* 2011; **140**(2):224–32.

Melsen 2007 {published data only}

Melsen B, Enemark E. Effect of cervical anchorage studied by the implant method (Transactions of the European Orthodontic Society 1969). *European Journal of Orthodontics* 2007;**29**:i102–6.

Moon 2008 {published data only}

Moon CH, Lee DG, Lee HS, Im JS, Baek SH. Factors associated with the success rate of orthodontic miniscrews placed in the upper and lower posterior buccal region. *The Angle Orthodontist* 2008; Vol. 78, issue 1:101–6.

Motoyoshi 2007 {published data only}

Motoyoshi M, Yoshida T, Ono A, Shimizu N. Effect of cortical bone thickness and implant placement torque on

stability of orthodontic mini-implants. *International Journal of Oral and Maxillofacial Implants* 2007;**22**(5):779–84.

Palagi 2010 {published data only}

Palagi LM, Sabrosa CE, Gava EC, Baccetti T, Miguel JA. Long-term follow-up of dental single implants under immediate orthodontic load. *The Angle Orthodontist* 2010 Sep;**80**(5):807–11.

Papadopoulos 2010 {published data only}

Papadopoulos MA, Melkos AB, Athanasiou AE. Noncompliance maxillary molar distalization with the first class appliance: a randomized controlled trial. *American Journal of Orthodontics and Dentofacial Orthopedics* 2010;**137**(5):586.e1–586.e13; discussion 586–7.

Polat-Ozsoy 2011 {published data only}

Polat-Ozsoy O, Arman-Ozircipici A, Veziroglu F, Cetinsahin A. Comparison of the intrusive effects of miniscrews and utility arches. *American Journal of Orthodontics and Dentofacial Orthopedics* 2011;**139**(4):526–32.

Schatzle 2009 {published data only}

Schatzle M, Mannchen R, Balbach U, Hammerle CH, Toutenburg H, Jung RE. Stability change of chemically modified sandblasted/acid-etched titanium palatal implants. A randomized-controlled clinical trial. *Clinical Oral Implants Research* 2009;**20**(5):489–95.

Thiruvengkatachari 2008 {published data only}

Thiruvengkatachari B, Pavithranand A, Rajasigamani K, Kyung HM. Comparison and measurement of the amount of anchorage loss of the molars with and without use of implant anchorage during canine retraction. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008;**35**(2):128.

Upadhyay 2008-2 {published and unpublished data}

Upadhyay M, Yadav S, Patil S. Mini-implant anchorage for en-masse retraction of maxillary anterior teeth: A clinical cephalometric study. *American Journal of Orthodontics and Dentofacial Orthopedics* 2008;**134**(6):803–10.

Upadhyay 2012 {published and unpublished data}

Upadhyay M, Yadav S, Nagaraj K, Uribe F, Nanda R. Mini-implants vs fixed functional appliances for treatment of young adult Class II female patients: a prospective clinical trial. *The Angle Orthodontist* 2012;**82**(2):294–303.

Wiechmann 2007 {published data only (unpublished sought but not used)}

Wiechmann D, Meyer U, Buchter A. Success rate of mini- and micro-implants used for orthodontic anchorage: a prospective clinical study. *Clinical Oral Implant Research* 2007;**18**:263–7.

Wilmes 2009 {published data only}

Wilmes B, Olthoff G, Drescher D. Comparison of skeletal and conventional anchorage methods in conjunction with pre-operative decompensation of a skeletal class III malocclusion. *Journal of Orofacial Orthopedics* 2009;**70**(4): 297–305.

Zhou 2009 {published data only}

Zhou H-X, Wang Z-Q, Huang C-H, Yu X-H. Comparison of micro-implant screw anchorage at various implant areas. *Zhongguo Zuzhi Gongcheng Yanjiu Yu Linchuang Kang Fu (Journal of Clinical Rehabilitative Tissue Engineering Research)* 2009;**13**(26):5181–4.

References to ongoing studies

Bearn 2008 {published and unpublished data}

What is the most effective method for providing orthodontic anchorage? A randomised clinical trial of headgear, AbsoAnchor mini-screws, palatal arch. Ongoing study 16 July 2008.

Biavati/ Migliorati 2011 {published data only}

Three dimensional movement analysis of maxillary impacted canine using TADs: a randomized clinical trial. Ongoing study September 2011.

Jung 2007 {published data only}

* Jung B, Wehrbein H, Hopfenmuller W, Harzer W, Gedrange T, Diedrich P, et al. Early loading of palatal implants (ortho-type II) a prospective multicenter randomized controlled clinical trial. *Trials* 2007;**8**:24. Jung BA, Harzer W, Gedrange T, Kunkel M, Moergel M, Diedrich P, et al. Spectrum of indications for palatal implants in treatment concepts involving immediate and conventional loading. *Journal of Orofacial Orthopedics* 2010;**71**(4):273–80.

Jung BA, Harzer W, Wehrbein H, Gedrange T, Hopfenmüller W, Lüdicke G, et al. Immediate versus conventional loading of palatal implants in humans: a first report of a multicenter RCT. *Clinical Oral Investigations* 2011;**15**(4):495–502.

Miller 2009 {published data only}

Study of the efficacy of skeletal anchorage (mini-screw) compared to dental anchorage during orthodontic treatment. Ongoing study February 2009.

Sandler 2008 {published and unpublished data}

Efficiency and effectiveness of 3 methods of anchorage reinforcement in orthodontics. Ongoing study July 2008.

Additional references

Booth-Mason 1988

Booth-Mason S, Birnie D. Penetrating eye injury from orthodontic headgear - a case report. *European Journal of Orthodontics* 1988;**10**(2):111–4.

Crismani 2010

Crismani AG, Bertl MH, Celar AG, Bantleon HP, Burstone CJ. Miniscrews in orthodontic treatment: review and analysis of published clinical trials. *American Journal of Orthodontics and Dentofacial Orthopedics* 2010;**137**(1): 108–13.

Cureton 1993

Cureton SL, Regennitter FJ, Yancey JM. Clinical versus quantitative assessment of headgear compliance. *American*

- Journal of Orthodontics and Dentofacial Orthopedics* 1993;**104**(3):277–84.
- Gainsforth 1945**
Gainsforth BL, Higley LB. A study of orthodontic anchorage possibilities in basal bone. *American Journal of Orthodontics and Oral Surgery* 1945;**31**:406–16.
- Higgins 2011**
Higgins JPT, Green S (editors). Cochrane Handbook for Systematic Reviews of Interventions version 5.1.0 (updated March 2011). The Cochrane Collaboration, 2011. Available from www.cochrane-handbook.org.
- Jambi 2013**
Jambi S, Thiruvengkatachari B, O'Brien KD, Walsh T. Orthodontic treatment for distalising upper first molars in children and adolescents. *Cochrane Database of Systematic Reviews* 2013, Issue 10. [DOI: 10.1002/14651858.CD008375.pub2]
- Kanomi 1997**
Kanomi R. Mini-implant for orthodontic anchorage. *Journal of Clinical Orthodontics* 1997;**31**(11):763–7.
- Li 2011**
Li F, Hu HK, Chen JW, Liu ZP, Li GF, He SS, et al. Comparison of anchorage capacity between implant and headgear during anterior segment retraction. *The Angle Orthodontist* 2011;**81**(5):915–22.
- Melsen 1998**
Melsen B, Petersen JK, Costa A. Zygoma ligatures: an alternative form of maxillary anchorage. *Journal of Clinical Orthodontics* 1998;**32**(3):154–8.
- Mitchell 2001**
Mitchell L. *An Introduction to Orthodontics*. 2nd Edition. Oxford, UK: Oxford University Press, 2001.
- Papadopoulos 2011**
Papadopoulos MA, Papageorgiou SN, Zogakis IP. Clinical effectiveness of orthodontic miniscrew implants: a meta-analysis. *Journal of Dental Research* 2011;**90**(8):969–76.
- Papageorgiou 2012**
Papageorgiou SN, Zogakis IP, Papadopoulos MA. Failure rates and associated risk factors of orthodontic miniscrew implants: a meta-analysis. *American Journal of Orthodontics and Dentofacial Orthopedics* 2012;**142**(5):577–95.
- Prabhu 2006**
Prabhu J, Cousley RR. Current products and practice: bone anchorage devices in orthodontics. *Journal of Orthodontics* 2006;**33**(4):288–307.
- Samuels 1994**
Samuels RH, Jones ML. Orthodontic facebow injuries and safety equipment. *European Journal of Orthodontics* 1994;**16**(5):385–94.
- Samuels 1996**
Samuels RH, Willner F, Knox J, Jones ML. A national survey of orthodontic facebow injuries in the UK and Eire. *British Journal of Orthodontics* 1996;**23**(1):11–20.
- Tsui 2012**
Tsui WK, Chua HD, Cheung LK. Bone anchor systems for orthodontic application: a systematic review. *International Journal of Oral and Maxillofacial Surgery* 2012;**41**(11):1427–38.
- References to other published versions of this review**
- Skeggs 2005**
Skeggs R, Benson P. Surgical reinforcement of anchorage during orthodontic brace treatment. *Cochrane Database of Systematic Reviews* 2005, Issue 1. [DOI: 10.1002/14651858.CD005098]
- Skeggs 2007**
Skeggs RM, Benson PE, Dyer F. Reinforcement of anchorage during orthodontic brace treatment with implants or other surgical methods. *Cochrane Database of Systematic Reviews* 2007, Issue 3. [DOI: 10.1002/14651858.CD005098.pub2]
- * Indicates the major publication for the study