

References

- 1 Adewale L, Morton N, Blayney M. Guidelines for the Management of Children Referred for Dental Extractions Under General Anaesthesia. London: Association of Paediatric Anaesthetists of Great Britain and Ireland, 2011; Online article. http://www.apagbi.org.uk/sites/default/files/images/Main%20Dental%20Guidelines%5B1%5D_0.pdf (accessed January 2014).
- 2 Davies C, Harrison M, Roberts G. UK National Clinical Guidelines in Paediatric Dentistry: Guideline for the use of General Anaesthesia (GA) in Paediatric Dentistry. London: Royal College of Surgeons of England, 2008; Online guideline. [http://www.rcseng.ac.uk/fds/publications-clinical-guidelines/clinical_guidelines/documents/Guideline for the use of GA in Paediatric Dentistry May 2008 Final.pdf](http://www.rcseng.ac.uk/fds/publications-clinical-guidelines/clinical_guidelines/documents/Guideline%20for%20the%20use%20of%20GA%20in%20Paediatric%20Dentistry%20May%202008%20Final.pdf) (accessed January 2014).
- 3 National Institute for Health and Clinical Excellence. National costing report: sedation in children and young people. 2010; <http://www.nice.org.uk/nice-media/live/13296/52185/52185.pdf> (accessed January 2014).
- 4 National Institute for Health and Clinical Excellence. Sedation for diagnostic and therapeutic procedures in children and young people. 2010 (Clinical guideline 112); <http://guidance.nice.org.uk/CG112> (accessed January 2014)
- 5 Albadri SS, Jarad FD, Lee GT, Mackie IC. The frequency of repeat general anaesthesia for teeth extractions in children. *Int J Paediatr Dent* 2006; **16**: 45–48.
- 6 Paediatric Formulary Committee. BNF for Children 2013–2014. London: BMJ Group, Pharmaceutical Press, and RCPCH Publications, 2013.
- 7 The Scottish Dental Clinical Effectiveness Programme (SDCEP). Conscious Sedation in Dentistry Dental Clinical Guidance, 2nd edn. Dundee: SDCEP, 2012. <http://www.sdcep.org.uk/index.aspx?o=2331> (accessed January 2014)
- 8 Papineni A, Lourenço-Matharu L, Ashley P. Safety of oral midazolam for use in paediatric dentistry. *Int J Pediatr Dent* 2014; **24**: 2–13.
- 9 Kupietzky A, Houpt M. Midazolam: a review of its use for conscious sedation of children. *Pediatr Dent* 1993; **15**: 237–241.
- 10 Coté CJ, Karl HW, Notterman DA, Weinberg JA, McCloskey C. Adverse sedation events in pediatrics: analysis of medications used for sedation. *Pediatrics* 2000; **106**: 633–644.
- 11 Averley PA, Lane I, Sykes J, Girdler NM, Steen N, Bond S. An RCT pilot study to test the effects of intravenous midazolam as a conscious sedation technique for anxious children requiring dental treatment - an alternative to general anaesthesia. *Br Dent J* 2004; **197**: 553–558.
- 12 Hosey M. Managing anxious children: the use of conscious sedation in paediatric dentistry. *Int J Paediatr Dent* 2002; **12**: 359–372.
- 13 British Dental Association. BDA Advice. Conscious Sedation. 2011; Online article. http://www.bda.org/Images/bda_-_conscious_sedation_-_nov_11.pdf (accessed January 2014)
- 14 Dental Sedation Teachers Group (DSTG) and the Society for the Advancement of anaesthesia in Dentistry (SAAD). Conscious Sedation A Referral Guide for Dental Practitioners. 2012; Online article. <http://www.dstg.co.uk/conscious-sedation/> (accessed January 2014)
- 15 Loke YK, Price D, Herxheimer A. Chapter 14: Adverse effects. In: Higgins JPT, Green S. (eds). Cochrane Handbook for Systematic Reviews of Interventions. Version 5.0.1 [Updated March 2011]. The Cochrane Collaboration, 2011; <http://www.cochrane-handbook.org>.
- 16 Matharu L, Ashley P. Sedation of anxious children undergoing dental treatment. *Cochrane Database Syst Rev* 2005; CD003877
- 17 Aronson JK (ed). Midazolam chapter. In: Aronson JK (ed). Meyler's Side Effects of Drugs. The International Encyclopaedia of Adverse Drug Reactions and Interactions. Vol. 4: J-O, 15th edn. Amsterdam: Elsevier, 2006: 2337–2343.

- 18 Curran S, Lally S. Hypnotics and sedatives. In: Aronson JK (ed). *Side Effects of Drugs*, Annual 22. Amsterdam: Elsevier Science, 1999: 41.
- 19 Rawlins M, Thompson W. Mechanisms of adverse drug reactions. In: Davies D (ed). *Textbook of Adverse Drug Reactions*. New York, NY: Oxford University Press, 1991: 18–45.
- 20 Sweetman S. *Martindale: The Complete Drug Reference*. 36th edn. London, UK: Pharmaceutical Press, 1999.
- 21 Reeves BC, Deeks JJ, Higgins JPT, Wells GA. Chapter 13: Including non-randomized studies. In: Higgins JPT, Green S. (eds). *Cochrane Handbook for Systematic Reviews of Interventions Version 5.1.0* [Updated March 2011]. The Cochrane Collaboration, 2011; <http://www.cochrane-handbook.org>
- 22 Higgins JPT, Altman DG, Sterne JAC. Chapter 8: Assessing risk of bias in included studies. In: Higgins JPT, Green S. (eds). *Cochrane Handbook for Systematic Reviews of Interventions Version 5.1.0* [Updated March 2011]. The Cochrane Collaboration, 2011; <http://www.cochrane-handbook.org>
- 23 Averley PA, Girdler NM, Bond S, Steen N, Steele J. A randomised controlled trial of paediatric conscious sedation for dental treatment using intravenous midazolam combined with inhaled nitrous oxide or nitrous oxide/sevoflurane. *Anaesthesia* 2004; **59**: 844–852.
- 24 Schwartz S, Bevan JC, Roberts G, Dean DM. Midazolam sedation and local anaesthesia compared with general anaesthesia for paediatric outpatient dental surgery. *Pediatric Anaesthesia* 1992; **2**: 309–315.
- 25 Tyagi P, Dixit U, Tyagi S, Jain A. Sedative effects of oral midazolam, intravenous midazolam and oral diazepam. *J Clin Pediatr Dent* 2012; **36**: 383–388.
- 26 Wilson KE, Girdler NM, Welbury RR. Randomized, controlled, cross-over clinical trial comparing intravenous midazolam sedation with nitrous oxide sedation in children undergoing dental extractions. *Br J Anaesth* 2003; **91**: 850–856.
- 27 Arya VS, Damle SG. Comparative evaluation of Midazolam and Propofol as intravenous sedative agents in the management of unco-operative children. *J Indian Soc Pedod Prev Dent* 2002; **20**: 6–8.
- 28 Dorman ML, Wilson K, Stone K, Stassen LF. Is intravenous conscious sedation for surgical orthodontics in children a viable alternative to general anaesthesia?—a case review. *Br Dent J* 2007; **202**: E30.
- 29 Guan M, Wang EB, Liu Y, Cui NH, Ding B, Zhang W. Clinical evaluation of midazolam intravenous sedation under bispectral index monitoring on removal of anterior supernumerary teeth in children. [Article in Chinese] *Beijing Da Xue Xue Bao* 2012; **44**: 120–124.
- 30 Lourenço-Matharu L, Roberts GJ. Effectiveness and acceptability of intravenous sedation in child and adolescent dental patients: report of a case series at King's College Hospital, London. *Br Dent J* 2011; **210**: 567–572.
- 31 Vetter TR. A comparison of EMLA cream versus nitrous oxide for pediatric venous cannulation. *J Clin Anesth* 1995; **7**: 486–490.
- 32 Nunomaki M, Shiiba S, Harano N *et al.* A retrospective study of intravenous sedation during a five-year period at kyushu dental college hospital. [Article in Japanese] *J Jpn Dent Soc Anesthesiol* 2011; **39**: 169–176.
- 33 Haberland CM, Baker S, Liu H. Bispectral index monitoring of sedation depth in pediatric dental patients. *Anesth Prog* 2011; **58**: 66–72.
- 34 Robb ND, Hosey MT, Leitch JA. Intravenous conscious sedation in patients under 16 years of age. Fact or fiction? *Br Dent J* 2003; **194**: 469–471.
- 35 The Royal College of Surgeons of England & The Royal College of Anaesthetists. A Report from the Standing Committee on Sedation for Dentistry. *Standards for Conscious Sedation in Dentistry: Alternative Techniques*. 2007; Online guidance. <http://www.rcoa.ac.uk/system/files/PUB-SCSDAT.pdf> (accessed January 2014)
- 36 Society for Advancement of Anaesthesia in Dentistry. *Guidance for Commissioning NHS England Dental Conscious Sedation Services A Framework Tool*. 2013; Online guidance. <http://www.saad.org.uk/wp-content/uploads/2013/06/SAAD-Guidance-Commissioning-Sedation.pdf> (accessed January 2014)
- 37 Wilson KE, Thorpe RJ, McCabe JF, Girdler NM. Complications associated with intravenous midazolam sedation in anxious dental patients. *Primary Dental Care* 2011; **18**: 161–166.
- 38 Bhatt M, Kennedy RM, Osmond MH *et al.*; Consensus Panel on Sedation Research of Pediatric Emergency Research Canada (PERC) and the Pediatric Emergency Care Applied Research Network (PECARN). Consensus-based recommendations for standardizing terminology and reporting adverse events for emergency department procedural sedation and analgesia in children. *Ann Emerg Med* 2009; **53**: 426–435
- 39 Mason KP, Green SM, Piacevoli Q, the International Sedation Task Force. Adverse event reporting tool to standardize the reporting and tracking of adverse events during procedural sedation: a consensus document from the World SIVA International Sedation Task Force. *Br J Anaesth* 2012; **108**: 13–20.